



Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Bear River Health District




Utah Statewide



Stage at Diagnosis	Bear River Health District		Utah	
	Count	Percent	Count	Percent
Localized	481	61.35%	7830	64.59%
Regional	173	22.07%	2611	21.54%
Distant	23	2.93%	638	5.26%
Unstaged	107	13.65%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Central Utah Health District




Utah Statewide



Stage at Diagnosis	Central Utah Health District		Utah	
	Count	Percent	Count	Percent
Localized	291	61.26%	7830	64.59%
Regional	95	20.00%	2611	21.54%
Distant	33	6.95%	638	5.26%
Unstaged	56	11.79%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Davis County Health District




Utah Statewide



Stage at Diagnosis	Davis County Health District		Utah	
	Count	Percent	Count	Percent
Localized	728	62.01%	7830	64.59%
Regional	305	25.98%	2611	21.54%
Distant	53	4.51%	638	5.26%
Unstaged	88	7.50%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Salt Lake County Health District




Utah Statewide



Stage at Diagnosis	Salt Lake County Health District		Utah	
	Count	Percent	Count	Percent
Localized	3101	63.83%	7830	64.59%
Regional	1055	21.72%	2611	21.54%
Distant	244	5.02%	638	5.26%
Unstaged	458	9.43%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Southeastern Health District




Utah Statewide



Stage at Diagnosis	Southeastern Health District		Utah	
	Count	Percent	Count	Percent
Localized	160	56.94%	7830	64.59%
Regional	66	23.49%	2611	21.54%
Distant	19	6.76%	638	5.26%
Unstaged	36	12.81%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Southwest Utah Health District




Utah Statewide



Stage at Diagnosis	Southwest Utah Health District		Utah	
	Count	Percent	Count	Percent
Localized	822	70.14%	7830	64.59%
Regional	221	18.86%	2611	21.54%
Distant	69	5.89%	638	5.26%
Unstaged	60	5.12%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Summit County Health District




Utah Statewide



Stage at Diagnosis	Summit County Health District		Utah	
	Count	Percent	Count	Percent
Localized	76	71.70%	7830	64.59%
Regional	17	16.04%	2611	21.54%
Distant	4	3.77%	638	5.26%
Unstaged	9	8.49%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Tooele County Health District




Utah Statewide



Stage at Diagnosis	Tooele County Health District		Utah	
	Count	Percent	Count	Percent
Localized	130	63.73%	7830	64.59%
Regional	42	20.59%	2611	21.54%
Distant	15	7.35%	638	5.26%
Unstaged	17	8.33%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Tri-County Health District




Utah Statewide



Stage at Diagnosis	Tri-County Health District		Utah	
	Count	Percent	Count	Percent
Localized	139	63.18%	7830	64.59%
Regional	36	16.36%	2611	21.54%
Distant	22	10.00%	638	5.26%
Unstaged	23	10.45%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Utah County Health District




Utah Statewide



Stage at Diagnosis	Utah County Health District		Utah	
	Count	Percent	Count	Percent
Localized	1034	65.03%	7830	64.59%
Regional	355	22.33%	2611	21.54%
Distant	88	5.53%	638	5.26%
Unstaged	113	7.11%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Wasatch County Health District




Utah Statewide



Stage at Diagnosis	Wasatch County Health District		Utah	
	Count	Percent	Count	Percent
Localized	54	60.67%	7830	64.59%
Regional	23	25.84%	2611	21.54%
Distant	6	6.74%	638	5.26%
Unstaged	6	6.74%	1043	8.60%

Source: Utah Cancer Registry.




Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.


Prostate Cancer: Stage of Disease at Diagnosis

Residents of Health District and Utah (Statewide), 1991-2000

Weber-Morgan Health District




Utah Statewide



Stage at Diagnosis	Weber-Morgan Health District		Utah	
	Count	Percent	Count	Percent
Localized	814	69.63%	7830	64.59%
Regional	223	19.08%	2611	21.54%
Distant	62	5.30%	638	5.26%
Unstaged	70	5.99%	1043	8.60%

Source: Utah Cancer Registry.



Source: Retrieved 01/2003 from Utah Department of Health, Center for Health Data, Indicator-Based Information System for Public Health Web Site: <http://health.utah.gov/ibis-ph/>.